

Lockwood Home Security Solutions



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*[®]

LOCKWOOD


ASSA ABLOY

25YEAR MECHANICAL
WARRANTY

www.lockweb.com.au



**We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*[®]**



KEYLESS ENTRY

Page 4



DOOR LOCKS

Page 9



ENTRANCE HANDLES

Page 14



DOOR HANDLES

Page 16



SLIDING DOOR HARDWARE

Page 20



SECURITY / SCREEN DOOR HARDWARE

Page 23



WINDOW LOCKS

Page 24



120N PADLOCKS

Page 24

Keyless Digital Deadlatch

- Unlock with pin or key card
- Program multiple user codes



The 001Touch™ Digital Deadlatch combines a stylish digital touch screen keypad with the security of the iconic Lockwood 001® Deadlatch. The simple convenience of using a pin code means you never have to carry keys again!

Illuminated touchscreen keypad

The touch screen keypad has no mechanical buttons which means no trace of your secret pin code.

Pin code or key card

Choose the convenience of a pin code or key card. One master pin code will manage up to twenty user pin codes. Up to 20 key cards can also be programmed.

Cryptic code function

Prevent others from identifying your pin code during access. The cryptic code function confuses the onlooker but at the same time allows you to still gain entry.

User code that expires

A temporary pin access code can be programmed to last from three hours to two weeks. This is ideal for allowing short-term access to your property and reduces the potential risks in giving your keys to a tradesman, cleaner or neighbour.

Visual guide for programming

For added convenience, an illuminated guide will assist in the programming of your 001 Touch™.

Low power consumption

Four standard AA batteries will unlock a door up to 10,000 times. A warning light will appear when the battery level reaches less than 30%.

Battery check function

The battery level can be checked without removing the batteries.

Emergency battery connection

In the event the battery goes flat, two battery contact points will fit a standard 9V battery. A temporary charge will allow entry with the pin or key card.

Smart memory

The settings, codes and key cards will remain programmed in the lock should the batteries go flat.

Keyless Digital Deadlatch

Internal Case Assembly	High purity zinc alloy
Battery Cover	High quality ABS plastic
Backset	60mm
Latch	Stainless Steel 18mm projection
Door Thickness	32mm to 50mm
Finish	Chrome Plate



Safety Release®
Minimises the risk of being locked in.



Emergency 9V Battery Connection
in the event your batteries are depleted.



Lock Alert®
Indicator shows lock status at a glance.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Digital Touch Screen
Illuminated keypad.



Batteries
Included.



Proximity Card
2 key cards included.



Retrofittable
Replace your existing 001® Deadlatch.



Deadlatch Bolt
Stainless steel 18mm projection.



Inside



Outside

Keyless Digital Deadbolt

- Touch screen pin code access
- Program multiple user codes



No Keys? No Worries. The Lockwood Digital Deadbolt lets you unlock your front door by entering a simple code.

Ideal for use on new doors or as a replacement on an existing door lock on your home, the Keyless Digital Deadbolt is also suitable for internal and light commercial doors such as storerooms and shop fronts.

Illuminated touch screen keypad

The touch screen keypad has no mechanical buttons which means no trace of your secret pin code. One master pin code will manage up to twenty user pin codes.

Cryptic code function

Prevent others from identifying your pin code during access. The cryptic code function confuses the onlooker but at the same time allows you to still gain entry.

Visual guide for programming

For added convenience, an illuminated guide will assist in the programming of your Digital Deadbolt.

Low power consumption

Four AA alkaline batteries will unlock a door for approximately 12 months if used 10 times per day. A battery icon will begin flashing when the battery level reaches less than 30%.

Emergency key override

In the event your battery goes flat there is a key override function that will prevent you from being locked out.

User code that expires

A temporary pin access code can be programmed to last from three hours to two weeks. This is ideal for allowing short-term access to your property and reduces the potential risks in giving your keys to a tradesman, cleaner or neighbour.

Code lockout settings

Privacy mode allows you to deactivate the external keypad from the inside providing a secure environment from others who may have pin code access. By using your master pin, you can also restrict all user pin access.

Keyless Digital Deadbolt

Front & Back Escutcheon	High purity zinc alloy
Back Plate	Hardened steel
Backset	Adjustable 60mm or 70mm
Bolt	Zinc alloy 25mm projection
Internal thin doors	Plastic gasket (32mm-36mm)
External thick doors	Rubber weather resistant gasket (37mm - 50mm)
Finish	Powder Coated Silver



Digital Touch Screen
Illuminated keypad.



Emergency Key Override
2 Keys included.



Batteries
Included.



Tapered Bolt
For ease of alignment to strike.



Kinetic Defence®
Bump and pick resistant.




Inside



Outside

Code Handle Keyless Lockset

- Lever handle with integrated code lock
- Program multiple user codes



Lockwood's innovative door handle with integrated electronic security, offers simple and effective keyless locking, without compromising aesthetics.

Designed to enable conveniently controlled access to a door with easy installation, Code Handle is ideal for offices, store rooms or a study at home.


The Code Handle provides flexible locking options for doors that need to be always locked or alternatively can be left open to provide free access during the day and locked at night. The Code Handle is an electronic product that is not weather rated, so use should be limited to appropriate environments.

Key features

- Lever handle with integrated code lock
- Program up to 9 user codes, 4-6 digits in length
- Supplied with Lockwood 530 60mm latch
- Easy to install
- Ideal for retrofit installations
- Programmable administration code for setting lock operation and user programming
- Manual or automatic locking
- Passage mode
- Code lockout for 3 minutes after 5 incorrect attempts
- Durable stainless steel handles
- Left and right handed versions

Retrofitable

Fits majority of doors with a 54mm hole. Designed to provide convenient keyless access to a door by replacing the existing door handle.



Code Handle Keyless Lockset

Installation	25mm latch hole and 54mm lock hole
Backset	60mm (70mm and 127mm latches available)
Latch	Brass 13mm projection deadlatch
Door Thickness	32 to 55mm
Finish	Satin Pearl with Stainless Steel

Description Part Number

Left Hand Code Handle	8816LSS
Right Hand Code Handle	8816RSS



Door Thickness
32-55mm.




Batteries Included
Approximately 30,000 operations before replacement.



Quick Installation
Fitting instructions included

Mechanical Digital Locks

- No electrical wiring required
- Resettable combination



The Lockwood Digital DX Locksets provide a mechanical method of keyless entry and are designed to control access into commercial areas, especially when frequent combination changes are needed to maintain security.

As the digital lockset utilizes mechanical operation, electrical wiring is not required.

For extra security when under forced attack, the inbuilt clutching mechanism allows the outside knob to rotate without operating or damaging the lock.

The factory set 5 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.

Outside function

Press the C button, enter the correct code, then turn the knob to unlock the door. Upon releasing the turn knob the code is automatically cancelled.

Inside function

Opened by knob/lever at all times.

002DX Keyless Deadlatch

Door Thickness	32mm to 45mm.
Latch	18mm projection, stainless steel
Backset	60mm
Internal Case Assembly	High purity zinc alloy, 92mm wide, 72mm high, 54mm projection
Finish	Satin Chrome Brushed*

* Finish denotes the finish on the digital code pad, the 002 lock body is supplied in Satin Chrome Pearl.



002 Digital DX Locks suit right or left hand doors opening inwards.

Hold-back function

002 Digital DX Locks have a bolt hold-back function activated by rotating inside knob/lever clockwise, past 90 degrees.

530DX Keyless Entrance Set

Door Thickness	32mm to 45mm.
Latch	13mm projection deadlatch, Brass
Backset	60mm standard. 70mm and 127mm latches available separately on application
Finish	Satin Chrome Brushed, Polished Brass
Options	Also available in double keypad version, which provides a keypad on each side of the door.



530 Digital DX Locks suit right or left hand doors opening inward and outward.

The Lockwood 530 Digital DX Entrance set has been successfully tested up to 2 hours on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Keyless Entry Lockset

- Unique LockAlert® indicator shows lock status at a glance
- SafetyRelease™ function minimises the risk of being deadlocked inside



Vision Plate with Element L3 Lever, Chrome Plate



The Lockwood Keyless Entry Lockset provides outstanding protection for your home and family with the added convenience of remote control locking. This stylish lock is available in a range of designer Lockwood Handle styles, enabling you to achieve a consistent look throughout your home.

Remote operation convenience

- 3 meter range keyless operation with Q-Key remote control
- Use same remote with multiple Nexion Keyless Entry Locksets
- Up to 50 Q-Key remotes can be programmed
- Provides audio and visual indication of lock activation and deactivation

Security

Conforms to Australian Standard AS4145.2-2008 S₁7D8C5K6

Range of styles to suit your home

The Lockwood Keyless Entry Lockset is available in two different plate styles. A matching range of Lockwood Door Handles is also available, allowing you to achieve a consistent style throughout your home.

See **page 17** for available lever styles.

Safety features

SafetyRelease™ automatically unlocks the inside handle upon entry to minimise the risk of being locked in.

Note: Applies to double cylinder locksets.

Lockout Release automatically unlocks the outside handle when the inside handle or snib is operated.

LockAlert® indicator shows lock status at a glance.



Secure Mode
Red: Securely locked from both inside and outside. For when nobody is home.



Safety Mode
Yellow: Securely locked from outside and free from inside.



Passage Mode
Green: Free from both inside and outside.

Quick installation

- Suitable for inward and outward opening doors of a thickness between 35-45mm. Factory set for left hand opening doors, easily changed for right hand opening doors.
- Can be keyed alike with other Lockwood door locks.

Keyless Entry Lockset

Backset	60mm standard and 70mm backset latch available as an accessory on some models
Latch	13mm projection brass bolt
Door Thickness	35mm to 45mm
Cylinders	Internal and external, 5 pin tumbler mechanism with 6 pin capability, brass cylinders and brass barrels
Finishes	Gold (Classic plate only) Satin Chrome (Vision plate only) Satin Chrome Pearl Chrome Plate



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Remote Access
Remote Control Locking.



Quick Installation
Suitable for door thicknesses between 35-45mm.



Safety Release®
Minimises the risk of being locked in.
Note: Applies to double cylinder locksets.



Batteries Included
Included.



Lock Alert™
Indicator shows lock status at a glance.

Vision Plate



Outside



Inside

Classic Plate



Outside




Inside

Mechanical Entry Lockset

- Unique LockAlert® indicator shows lock status at a glance
- SafetyRelease™ function minimises the risk of being deadlocked inside



Vision Plate with Element L3 Lever, Satin Chrome



The Lockwood Mechanical Entry Lockset provides outstanding protection for your home and family. This stylish lock is available in a range of designer Lockwood Handle styles, enabling you to achieve a consistent look throughout your home.

Security

Conforms to Australian Standard AS4145.2-2008 S₁7D8C5K6

Quick installation

- Suitable for inward and outward opening doors of a thickness between 35-45mm. Factory set for left hand opening doors, easily changed for right hand opening doors.
- Can be keyed alike with other Lockwood door locks.

Range of styles to suit your home

The Lockwood Mechanical Entry Lockset is available in two different plate styles. A matching range of Lockwood Door Handles is also available, allowing you to achieve a consistent style throughout your home.

See **page 17** for available lever styles.

Safety features

SafetyRelease™ automatically unlocks the inside handle upon entry to minimise the risk of being locked in.

Note: Applies to double cylinder locksets.

Lockout Release automatically unlocks the outside handle when the inside handle or snib is operated.

LockAlert® indicator shows lock status at a glance.



Secure Mode

Red: Securely locked from both inside and outside. For when nobody is home.



Safety Mode

Yellow: Securely locked from outside and free from inside.



Passage Mode

Green: Free from both inside and outside.

Mechanical Entry Lockset

Backset	60mm standard and 70mm backset latch available as an accessory on some models
Latch	13mm projection brass bolt
Door Thickness	35mm to 45mm
Cylinders	Internal and external, 5 pin tumbler mechanism with 6 pin capability, brass cylinders and brass barrels
Finishes	Gold (Classic plate only) Satin Chrome (Vision plate only) Satin Chrome Pearl Chrome Plate



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Safety Release™
Minimises the risk of being locked in.
Note: Applies to double cylinder locksets.



Quick Installation
Suitable for door thicknesses between 35-45mm.



Lock Alert™
Indicator shows lock status at a glance.

Vision



Outside



Inside

Classic



Outside



Inside

Deadbolts

- Ideal for use with Lockwood Entrance Handles or Door Handles
- Can be keyed alike to other Lockwood door locks



Symmetry Deadbolts

Double Cylinder



Single Cylinder



Lockwood's entry-level deadbolt offers standard security for your home.

Available in a single or double cylinder configuration and range of finishes, the Symmetry Deadbolt is ideally suited to compliment Lockwood Key in Knob and Key in Lever locksets.

Features

- Suits left or right hand opening doors
- Solid brass bolt with 25mm projection
- Hardened insert in locking bolt

Symmetry Deadbolts

Backset	60mm or 70mm adjustable solid brass bolt.
Door Thickness	35mm to 45mm.
Cylinders	5 pin tumbler mechanism. Brass cylinder and brass barrel
Finishes	EverBrass Polished Stainless Steel Satin Stainless Steel

005 Double Cylinder Deadbolts

Round Rose



Square Rose



Lockwood's high security deadbolt range offers exceptional safety and security for your home and family.

With Lockwood's unique, patented LockAlert® and SafetyRelease™ functions, this is the pinnacle in deadbolt security products.

Available in either a round or square rose and with 5 different finishes including Stainless Steel, the Lockwood 005 Deadbolt is ideally suited for use with Lockwood's range of Door and Entrance Handles.

Features

- Innovative multi-mode deadbolt with a slimline design
- Counter balanced stainless steel bolt for added security

SafetyRelease™ automatically unlocks the internal knob upon entry. This minimises the risk of being locked inside.

LockAlert® indicator shows lock status at a glance.

- Secure Mode**
Locked from inside and outside.
- Safety Mode**
Locked from outside and free to exit from inside.
- Passage Mode**
Free to enter from outside and free to exit from inside.

Australian standard

Conforms to Australian Standard AS4145.2-2008 | SL8D8C6K5 for Security and Durability.

005 Double Cylinder Deadbolt

Backset	60mm or 70mm adjustable stainless steel bolt.
Door Thickness	32mm to 48mm. However, 32mm to 36mm doors require spacer ring (included).
Cylinders	5 pin tumbler mechanism Brass cylinder and brass barrel
Finishes	Chrome Plate Satin Chrome Pearl Satin Chrome Brushed Everbrass Satin Stainless Steel (Round version)

- DualSelect®**
Turn the key for safety mode. Turn the key further to select secure mode.
- Kinetic Defence®**
Bump and pick resistant.
- Safety Release™**
Minimises the risk of being locked in.
- Counterbalance Bolt**
Proportionally distributes the load between the door and door frame.
- Anti-Corrosion**
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.
- Retrofittable**
Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.
- Lock Alert®**
Indicator shows lock status at a glance.
- 2 Keys Included**
Can be keyed alike to other Lockwood door locks.

001® Double Cylinder Deadlatch

- Unique LockAlert® indicator shows lock status at a glance
- SafetyRelease™ function minimises the risk of being deadlocked inside



The iconic Lockwood 001® Deadlatch offers market-leading performance and reliability for your home.

The 001® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

As part of the range carrying Lockwood's unique, patented LockAlert® and SafetyRelease™ functions, the 001® Deadlatch offers supreme safety for you and your family.

Additional features include a bolt hold back function that allows you to use your door in passage mode.




Security

- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Conforms to Australian Standard AS4145.2-2008 SL7D8C6.

Safety Features


SafetyRelease™ automatically unlocks the inside knob upon entry to minimise the risk of being locked in.

LockAlert® indicator shows lock status at a glance.

-  **Secure Mode**
Locked from inside and outside.
-  **Safety Mode**
Locked from outside and free to exit from inside.
-  **Passage Mode**
Free to enter from outside and free to exit from inside.

Retrofittable


Replace your existing rimlock with a 001® Deadlatch.



001 Double Cylinder Deadlatch


Backset	60 mm
Latch	Stainless Steel 18mm projection
Door Thickness	30mm to 45mm timber framed doors
Cylinders	5 pin tumbler mechanism Brass cylinder and brass barrel
Finishes	Chrome Plate Satin Chrome Pearl Brown Gold



 **Lock Alert®**
Indicator shows lock status at a glance.

 **Kinetic Defence®**
Bump and pick resistant.

 **Safety Release™**
Minimises the risk of being locked in.

 **2 Keys Included**
Can be keyed alike to other Lockwood door locks.

Deadlocks

- Concealed fixings for superior anchorage
- Suits hinged and sliding doors



The 303 Single Cylinder Deadlock and 355 Double Cylinder Deadlock suits inward opening, outward opening and sliding doors of 30-45mm thickness.

Both the 303 Single Cylinder Deadlock and 355 Double Cylinder Deadlock can be opened by key from outside and by turn knob from inside. Each feature concealed fixings for superior anchorage and security.

Suitable door types include: single hinged door, single sliding door, pair timber hinged doors and pair timber sliding doors. Glazed doors require minimum side rail.

Security

Conforms to Australian Standard AS4145.2-2008 SL7D8C6.

Deadlock Specifications

Backset	60mm
Door Thickness	30mm to 45mm.
Cylinders	5 pin tumbler mechanism Brass cylinder and barrel
Bolt	Stainless Steel
303 Finishes	Satin Chrome Pearl
355 Finishes	Everbrass Satin Chrome Pearl Chrome Plate Brown

303 Single Cylinder Deadlock



Outside



Inside

355 Double Cylinder Deadlock



Outside



Inside

The inside knob can be locked on the 355 Double Cylinder Deadlock for additional security.



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other Lockwood door locks.

Entrance Handles

- 304 grade Stainless Steel
- Suitable for glass, timber or aluminium doors



146 Entrance Handle with a 005 Adjustable Cylinder Deadbolt

Lockwood Entrance Handles are constructed using 304 grade stainless steel to incorporate the maximum standards in style, durability, finish and design.

Features

- Nine designs, ranging from the classic to the contemporary
- Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments
- Each Lockwood Entrance handle comes supplied with spigots to suit 10 to 12mm thick glass doors as well as spigots to suit aluminium and timber doors up to 50mm thick.

Entrance Handles

Construction	304 grade stainless steel
Door Thickness	10mm to 12mm (glass doors) up to 50mm (aluminium and timber doors)
Finishes	Satin Stainless Steel



141



142



143



145



146



147



192



151



231

63mm and 55mm Rose Door Handles

- Quick installation
- Available in a range of styles and finishes



63mm Rose, Glide™ L4 Lever in Chrome Plate

Lockwood's Velocity Series Door Handles offer an exceptional level of quality that is synonymous with the Lockwood brand.

Available in two different rose sizes with a range of finishes and a selection of stylish lever options.

All fixings are concealed beneath the removable rose trim providing a crisp and clean presentation.

Achieve consistent styling throughout your home by matching your internal door handles with your selected Lockwood external lock.

Quick Installation

The frustration of fiddling with small parts or misplacing them during installation is a thing of the past. The Velocity range of lever sets are supplied pre-assembled so there are no loose screws or spindles.

Screws align through the rose removing the need to locate them blind through the door. A twist and a quick tighten of screws and the levers are installed.



63mm Rose Leverset

Backset	60mm
Rose Type	Round
Door Thickness	32mm to 45mm
Rose Dimensions	63mm by 12.5mm
Finishes	Satin Chrome Pearl Chrome Plate
Functions	Passage Privacy

55mm Rose Leverset

Backset	60mm
Rose Type	Round or Square
Door Thickness	32mm to 45mm
Rose Dimensions	55mm by 12.5mm
Finishes	Satin Chrome Pearl Chrome Plate
Functions	Passage Privacy

63mm Round Rose Leversets

The 63mm rose size is ideal for replacing existing handles, covering paint lines on doors.

Passage

Privacy



Summit® - L1



Spire® - L2



Element™ - L3



Glide™ - L4



Hakea® - 28



Saltbush® - 34

55mm Round and Square Rose Leversets

The 55mm rose size is designed primarily for new installations and is available in a round or square rose.

Passage

Privacy



Summit® - L1 | Round



Spire® - L2 | Round



Element™ - L3 | Round



Glide™ - L4 | Round



Summit® - L1 | Square



Spire® - L2 | Square



Element™ - L3 | Square



Glide™ - L4 | Square

Symmetry Door Handle Range

- Suits left or right handed doors
- Available in Entrance, Privacy, Passage and Dummy models



Vicinity Entrance Leverset, Chrome Plate

Symmetry Series Key in Knob and Key in Lever Locksets are suitable for left or right handed doors and can be keyed alike to other Lockwood door locks.

Symmetry Entrance sets are ideally suited for use with Lockwood Symmetry Deadbolts and are also available in Passage, Privacy and Dummy versions to create a consistent style throughout your home.

Symmetry Door Furniture

Construction	Zinc Alloy with Steel Chassis
Door Thickness (Timber doors)	Manor Knobset: 35mm to 45mm Imperial Knobset: 32mm to 46mm District Leverset: 35mm to 51mm Vicinity Leverset: 35mm to 51mm
Backset	Manor Knobset: 60mm cylindrical latch Imperial Knobset: 60 or 70mm adjustable latch District Leverset: 60 or 70mm adjustable latch Vicinity Leverset: 60 or 70mm adjustable latch
Finishes	Everbrass Chrome Plate Satin Chrome Brushed
Handing	Suits left or right handed doors

Symmetry Knobsets

Entrance

Passage

Privacy

Dummy



Manor Entrance Knobset



Manor Privacy Knobset



Manor Passage Knobset



Imperial Entrance Knobset



Imperial Privacy Knobset



Imperial Passage Knobset

Symmetry Leversets

Entrance

Passage

Privacy

Dummy



District Entrance Leverset



District Privacy Leverset



District Passage Leverset



Vicinity Entrance Leverset



Vicinity Privacy Leverset



Vicinity Passage Leverset

Patio and Mortice Sliding Door Locks

- Unique LockAlert® indicator
- Non-handed lock suits left & right handed doors



The Lockwood Onyx range incorporates advanced security and safety features making this product the ideal choice for sliding patio door applications.


Onyx is further enhanced by the intuitive operation of the unique sliding snib and the innovative LockAlert® feature that indicates the lock status at a glance.

Features

- **LockAlert®** indicator shows lock status at a glance
- **Dual Select®** enables two stage key locking
- **Door Close Detect (DCD)** anti slam feature protects locking beaks from accidental damage
- Snib action always moves upwards, regardless of door handing
- The C4 cylinder can be easily rekeyed to existing C4 profile door and window locks
- Easy to operate with key or snib
- Non-handed; suitable for most new and retrofit applications
- Available in a range of finishes.

Patio Sliding Door Lock

Fixing	Surface mounted, concealed fixing with 82mm pitching centres
Door Thickness	Aluminium and Timber doors from 19mm to 50mm.
Handing	Field selectable
Finishes	Satin Chrome Pearl Black Powdercoat Silver Powdercoat White Powdercoat <i>Other Plated and Powdercoat finishes are available as a special order</i>



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.

DCD **Door Close Detect (DCD)**
Anti slam feature protects from accidental damage and ensures door is closed before being latched or locked.

Lock Alert®
Indicator shows lock status at a glance.

Twin Locking Beaks
For added security.

Kinetic Defence®
Bump and Pick Resistant.

2 Keys Included
Can be keyed alike to other Lockwood door locks.

Mortice Sliding Door Lock

Fixing	Mortice mounted, concealed fixings.
Door Thickness	Aluminium and Timber doors up to 45mm thick.
Handing	Field selectable
Finishes	Satin Chrome Pearl <i>Other Polyester Powdercoat finishes are available as a special order</i>



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.

DCD **Door Close Detect (DCD)**
Anti slam feature protects from accidental damage and ensures door is closed before being latched or locked.

Lock Alert®
Indicator shows lock status at a glance.

Twin Locking Beaks
For added security.

Kinetic Defence®
Bump and Pick Resistant.

2 Keys Included
Can be keyed alike to other Lockwood door locks.

Cavity Sliding Door Locks

- Retractable Door Pull
- Available in Entrance, Privacy, Passage and Latching Passage models



The Cavity Sliding Door Lock range features an innovative retractable door pull that is ideal for fully recessed cavity sliding doors.

This creates a completely flush finish with no protruding parts, combining elegance with ease of use.

Available in entrance, passage, passage latch and privacy functions.

Key features

- Easily fitted into a standard 54mm door preparation with a 60mm backset.
- Fitted flush against the panel of the sliding door for full recess into the door cavity.
- Key lockable version meets Australian standard AS4145.2-2008: Tested to exceed 30,000 turn cycles withstanding 3 kN of pull force.

Entrance Set

Outside	Locked or unlocked by key
Inside	Locked or unlocked by turn-plate
Backset	60mm
Door Thickness	32mm* to 40mm for timber doors * Requires spacer ring (included)
Finishes	Satin Chrome Pearl Chrome Plate



Passage Latch Set

Outside	Locked or unlocked by turn-plate
Inside	Locked or unlocked by turn-plate
Backset	60mm
Door Thickness	32mm* to 40mm for timber doors * Requires spacer ring (included)
Finishes	Satin Chrome Pearl Chrome Plate



Privacy Set

Outside	Emergency release button opened by coin or screwdriver
Inside	Locked or unlocked by turn-plate
Backset	60mm
Door Thickness	32mm* to 40mm for timber doors * Requires spacer ring (included)
Finishes	Satin Chrome Pearl Chrome Plate



Passage Set

Outside	Free to slide door at all times
Inside	Free to slide door at all times
Backset	60mm
Door Thickness	32mm* to 40mm for timber doors * Requires spacer ring (included)
Finishes	Satin Chrome Pearl Chrome Plate



680 Lockable Patio Bolt

- Suitable for hinged or sliding doors
- Can be locked in open or closed position



The Lockwood 680 Patio Bolt is a strong, heavy duty, surface mounted product designed to improve security in a range of residential sliding and hinge door applications.

It is easy to install and has been designed to suit a wide range of aluminium and timber sliding patio and hinge door applications.

Features

- Suits sliding and hinged doors
- Strong steel locking bolt that is easy to install
- Suits right and left handed, timber or aluminium doors
- Standard and flat strikes included to suit a large range of doors
- Secure concealed fixing

680 Patio Bolt

Application	Timber or Aluminium doors
Bolt	Steel, Zinc Plated
Cylinders	Solid Brass 5 pin cylinder
Finishes	Gold Chrome Plate Satin Chrome Pearl Black Brown Primrose White
Security	Conforms to Australian Standard 4145.2 Level SL7



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Kinetic Defence®
Bump and pick resistant.

Hinged and Sliding Security Screen Door Locks

- Stainless steel hook bolt for increased security
- DualSelect® function



Hinged and Sliding Security Screen Door Locks

Lockwood's range of Security Door Locks are designed to suit the standard 20mm hinged or sliding security door.

Both versions feature Lockwood's unique DualSelect® functionality and are self-latching for improved home security. Can also be locked from the inside using a snib.

Available in a range of finishes, comes with 2 keys and can be keyed alike to other Lockwood door locks. Suits left and right handed doors

Confirms to Australian Standard AS4145.2 2008, offering exceptional performance and reliability.

Optional Accessories

- 3 point locking kit available for premium security.
- When 3 point locking kit is fitted, snib activates/operates all 3 locking points.

8654 Hinged Security Door Lock

Door Thickness Standard 20mm

Cylinders 2 x 5 pin cylinder

Polyester Powdercoat Finishes
 Black
 Brown
 Gold Spangle
 Magnolia
 Primrose
 White
 White Birch.

Plated Finishes
 Chrome Plate
 Satin Chrome Pearl
 Everbrass



Inside

8653 Sliding Security Door Lock

Door Thickness Standard 20mm

Cylinders 2 x 5 pin cylinder

Polyester Powdercoat Finishes
 Black,
 Primrose
 White


Plated Finishes
 Chrome Plate
 Satin Chrome Pearl




Inside


The 8653 Sliding Security Door Lock includes a **LockAlert®** indicator which shows the lock's status at a glance.


 **DualSelect®**
 Turn the key for safety mode. Turn the key further to select secure mode.


 **2 Keys Included**
 Can be keyed alike to other Lockwood door locks.

 **Kinetic Defence®**
 Bump and pick resistant.

 **DualSelect®**
 Turn the key for safety mode. Turn the key further to select secure mode.

 **2 Keys Included**
 Can be keyed alike to other Lockwood door locks.

 **Kinetic Defence®**
 Bump and pick resistant.

 **Lock Alert®**
 Indicator shows lock status at a glance.

Window Locks



785 Sliding Window Lock, White

CYL4® Window Locks

An essential, but often overlooked aspect of security, windows are considered to be the main point of entry for break-ins.

All Lockwood window locks are available in a range of finishes and can be keyed alike to other Lockwood door locks so you can enjoy the convenience of your home being secured by just one key.

What is CYL4® Technology?

CYL4 is the terminology that means Lockwood window locks can be operated by Australia's most common door key, the standard 5 pin C4 profile. The C4 key profile is the type that most front door locks use.



885 Awning Window Lock

A simple to install lock for locking timber awning windows with or without flyscreens. Easy to use push button to lock, key to unlock. Ideal for installation alongside window winders or simple catches.



885 Product Details

Case	High purity zinc alloy.
Sash Bracket	Steel pressing
Cylinders	Keying - CYL4 One Key Security
Finishes	Black Brown Primrose Silver White
Window Frame	Timber
Window Type	Casement Awning

880 Multi Purpose Bolt

Key operated window lock suitable for most timber windows and some metal framed windows. With two part locking action, can be secured by bolt and key or secured by bolt only and allows for a secure ventilation position (sliding and double hung applications)



880 Product Details

Case	High purity zinc alloy
Sash Bracket	Zinc plated steel bolt
Cylinders	Keying - CYL4 One Key Security
Finishes	Black, Brown Primrose Silver White Chrome Plate
Window Frame	Timber
Window Type	Sliding Double Hung Casement Awning

785 Sliding Window Lock

Key operated window lock suitable for most aluminium sliding windows with convenient push button locking. High security, strong construction which resists attack.



785 Product Details

Case	High purity zinc alloy
Locking Bolt	Nickel plated high purity zinc alloy
Cylinders	Keying - CYL4 One Key Security
Finishes	Black Brown Primrose Silver White
Window Frame	Aluminium
Window Type	Sliding

120N Series Padlocks

- Double Locking
- Protective Silicone Jackets



The 120N Series Display Padlock range includes 14 different models, with single, twin and quad packs (keyed alike), as well as extended shackle lengths for selected models.

All padlocks in this range come complete with jackets made from a tough silicone material which is weather resistant and UV stable to resist the impact of harsh environments.

The jacket also provides protection for both the padlock and the object to which it is attached.

The 120N padlocks are suitable for a broad range of general purpose applications including garden sheds, garages, letterboxes or locking up your bicycle.

All products are designed and tested to the Australian Padlock Standard AS4145.4 2002 and are rated for both security and corrosion resistance.

Product Features

- Protective silicone jackets
- Individual jacket colours for each model
- Double locking shackle mechanism
- Self-latching shackle function
- Pin tumbler locking
- Extended shackles on some 30mm and 40mm models

Product Details

Body	Heavy duty solid brass Models ranging from 30mm to 60mm
Shackle	Heavy duty chrome plated hardened steel Self Latching and Double Locking Models ranging from 18mm to 80mm
Jacket	Weather resistant Silicone
Multipacks (keyed alike)	Available on some 30mm and 40mm variants

When it comes to safety it's primal, it's our survival, a basic human need. We want freedom to live, explore and rest without fear. To leave behind in safety our precious, cherished and most valuable things. And to come back to them exactly as we left them.

For as long as we have valuables, we will always need protection. Though the need for our products is driven by concerns, the Belief in our Brand is propelled by confidence. An unquestioned confidence in our ability to protect what is most important to you.

Our products provide peace of mind through strength, substance and style. Our reputation is forged in traditions, supreme workmanship, uncompromised values and above all our people. We are a trusted, tireless and vigilant guardian that protects families, households, trades and businesses.

Because if feeling safe is a basic human need, knowing you're safe is why Lockwood exists. For over 75 years, our guiding principle is and will always be: To take the worry out of protecting what is valuable to you.

Lockwood: *no worries*[®]



ASSA ABLOY

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

**25YEAR
MECHANICAL
WARRANTY**

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

